# Proposal to use GOC-DB as the only source of topology information for ARGO

**Alessandro Paolini** 





#### The ARGO framework

- The ARGO framework is responsible for:
  - monitoring all EGI production services
  - computing the availability and reliability of the monitored services
- Services are monitored by Nagios probes provided by service product teams
- Two sources of topology information
  - GOCDB: NGIs, sites, services, contacts, operators roles
  - BDII: service endpoint URLs, service attributes
- Certification infrastructure (BDII+WMS) decommissioned few weeks ago
  - No more way to monitor the "uncertified" sites during the certification procedure (new or previously suspended sites)
- Proposed solution by ARGO: store into GOC-DB also some of the BDII information needed by the probes to work properly



### The proposal by ARGO

- Proposal: GOC-DB as the only source of topology information
- Store in GOC-DB the service endpoint URLs for all the sites
  - Already in use for FedCloud services
- Main advantages with a single topology source :
  - It makes easier tracking an issue
  - Uncertified and certified sites (resources) can be monitored by ARGO
  - Better control by site-admins on what is being monitored
  - Easier development of new probes because the topology information would be available on GOC-DB

#### What to do...



- Sites add a service endpoint URL for each service for monitoring purposes:
  - No limit on the number of endpoints per service
- The monitored service endpoints will be properly flagged:
  - It is required on GOC-DB a new "Monitored: Yes/No" attribute
- Service URLs to add:
  - CREAM-CE: GlueCEUniqueID from BDII (e.g. cream.egi.eu:8443/cream-pbs-ops)
  - SRM: GlueServiceEndpoint from BDII (e.g. httpg://se.egi.eu:8444/srm/managerv2)
  - Other services: GlueServiceEndpoint from BDII

# www.egi.eu

#### What to do... (II)

- In case a probe required additional information, the extension properties will be used
  - Key / value pair
  - Currently not required
- Adding information manually is preferred
  - From past experience, doing it automatically would cause more issues





- Not yet approved, timescale not yet defined
- Proposal presented in the September OMB
- In the October OMB we will discuss the feedback from NGIs&sites about the proposal
  - It requires effort by site-manager, currently the information is provided automatically by the BDII
- Some development in GOC-DB and ARGO needed
- Start with the uncertified sites, then all the others
- Interim period: consuming both BDII and GOC-DB
  - If no issues, only GOC-DB will be kept as topology source

## Thank you for your attention.

**Questions?** 



